

172bytes			
4bytes	2bytes	6bytes	
ID	IED	CPR_MAI	Main Data 160bytes(D ₀ ~ D ₁₅₉)
Main Data 172bytes(D ₁₆₀ ~ D ₃₃₁)			
Main Data 172bytes(D ₃₃₂ ~ D ₅₀₃)			
• • • • • •			
Main Data 172bytes(D ₁₇₀₈ ~ D ₁₈₇₉)			
Main Data 168bytes(D ₁₈₈₀ ~ D ₂₀₄₇)			
EDC			
			4bytes

12
rows

FIG.1

172bytes					PI 10bytes				
192 ROWS	$B_{0,0}$	$B_{0,1}$	$B_{0,170}$	$B_{0,171}$	$B_{0,172}$	$B_{0,181}$			
	$B_{1,0}$	$B_{1,1}$	$B_{1,170}$	$B_{1,171}$	$B_{1,172}$	$B_{1,181}$			
	$B_{2,0}$	$B_{2,1}$	$B_{2,170}$	$B_{2,171}$	$B_{2,172}$	$B_{2,181}$			
P0 16 ROWS	$B_{189,0}$	$B_{189,1}$	$B_{189,170}$	$B_{189,171}$	$B_{189,172}$	$B_{189,181}$			
	$B_{190,0}$	$B_{190,1}$	$B_{190,170}$	$B_{190,171}$	$B_{190,172}$	$B_{190,181}$			
	$B_{191,0}$	$B_{191,1}$	$B_{191,170}$	$B_{191,171}$	$B_{191,172}$	$B_{191,181}$			
	$B_{192,0}$	$B_{192,1}$	$B_{192,170}$	$B_{192,171}$	$B_{192,172}$	$B_{192,181}$			
	$B_{207,0}$	$B_{207,1}$	$B_{207,170}$	$B_{207,171}$	$B_{207,172}$	$B_{207,181}$			

FIG. 2




FIG. 3




FIG. 4




FIG. 5